

Halton County Soil Summary Sheet

Map Symbol	Soil Series and Surface Texture	Natural Drainage	Hydrologic Group	Erosion Factor	POTENTIAL FOR	
					Wind Erosion	Soil Compaction
10		VARIABLE	-	-	-	-
11		-	-	-	-	-
12		-	-	-	-	-
13		-	-	-	-	-
B.L.	Bottom Land	VARIABLE	-	-	-	-
Ba	Brady Sandy Loam	IMPERFECT	MODERATE	4	2	M
Be	Berrien Sandy Loam	IMPERFECT	SLOW	3	2	M
Bl	Brisbane Loam	IMPERFECT	MODERATE	2	3	M
Br	Burford Loam - Rocky Phase	WELL	RAPID	4	2	L
Bs	Brady Sandy Loam - Shallow Phase	IMPERFECT	MODERATE	3	2	M
Bu	Burford Loam	WELL	MODERATE	4	2	L
Cd	Colwood Loam	POOR	SLOW	2	3	H
Ch	Chinguacousy Clay Loam	IMPERFECT	SLOW	3	4	H
Ci	Chinguacousy Silt Loam	IMPERFECT	SLOW	3	4	M
Ck	Cooksville Clay	WELL	MODERATE	2	4	M
Cl	Chinguacousy Loam	IMPERFECT	SLOW	3	4	M
Co	Colwood Silt Loam	POOR	SLOW	2	3	H
Cr	Chinguacousy Clay Loam - Rocky Phase	IMPERFECT	SLOW	3	4	H
Cs	Colwood Loam - Shallow Phase	POOR	MODERATE	2	3	H
Dk	Donnybrook Gravelly Loam	WELL	RAPID	4	2	L
DI	Dumfries Loam	WELL	RAPID	1	3	L
Dr	Dumfries Loam - Rocky Phase	WELL	RAPID	1	3	L
Ds	Dumfries Loam - Shallow Phase	WELL	RAPID	1	4	L
Du	Dumfries Sandy Loam	WELL	RAPID	4	1	L
Fl	Farmington Loam	VARIABLE	MODERATE	1	4	L
Fn	Fox Sandy Loam	WELL	RAPID	4	1	L
Fo	Font Sandy Loam	WELL	RAPID	4	1	L
Fp	Fox Sandy Loam - Shallow Phase	WELL	RAPID	3	2	L
Fr	Farmington Loam - Rocky Phase	VARIABLE	MODERATE	1	4	L
Fs	Flamboro Sandy Loam - Shallow Phase	POOR	SLOW	4	3	M
Gf	Gilford Loam	POOR	SLOW	3	3	H
Gi	Grimsby Sandy Loam	WELL	RAPID	4	1	L
Gl	Guelph Loam	WELL	MODERATE	1	3	L
Gp	Grimsby Sandy Loam - Shallow Phase	WELL	RAPID	3	2	L
Gr	Granby Sandy Loam	POOR	SLOW	4	2	M
Gs	Guelph Loam - Shallow Phase	WELL	RAPID	1	4	L
Gu	Guelph Sandy Loam	WELL	MODERATE	4	1	L
Jc	Jeddo Clay Loam	POOR	VERY SLOW	3	4	H
Kl	Killean Loam	IMPERFECT	MODERATE	2	3	M

Map Symbol	Soil Series and Surface Texture	Natural Drainage	Hydrologic Group	Erosion Factor	POTENTIAL FOR	
					Wind Erosion	Soil Compaction
Lc	Lockport Clay	WELL	MODERATE	3	3	M
Li	Lily Loam	POOR	SLOW	2	3	H
Ll	London Loam	IMPERFECT	MODERATE	2	3	M
Lo	London Silt Loam	IMPERFECT	MODERATE	2	3	M
M	Mesisol	VERY POOR	SLOW	3	2	M
Ma	Marsh	VERY POOR	-	-	-	-
Ml	Morley Clay Loam	POOR	VERY SLOW	3	4	H
Ms	Mesisol - Shallow Phase	VERY POOR	SLOW	3	2	M
Oi	Oneida Silt Loam	WELL	SLOW	2	4	L
Ol	Oneida Loam	WELL	SLOW	2	4	L
On	Oneida Clay Loam	WELL	SLOW	2	4	M
Or	Oneida Clay Loam - Rocky Phase	WELL	SLOW	2	4	M
P	Fibrisol	VERY POOR	SLOW	3	2	M
Pl	Parkhill Loam	POOR	SLOW	2	3	H
Sp	Springvale Sandy Loam	WELL	RAPID	4	1	L
Tc	Trafalgar Clay	IMPERFECT	MODERATE	3	4	H
Tr	Trafalgar Silty Clay Loam	IMPERFECT	MODERATE	3	4	H
Tu	Tuscola Silt Loam	IMPERFECT	SLOW	2	3	M
Vi	Vineland Sandy Loam	IMPERFECT	MODERATE	4	2	M
Wi	Winona Sandy Loam	IMPERFECT	SLOW	3	2	M